



Calibration and Reliability in Groundwater Modelling:

Coping with Uncertainty

67/16957

Edited by

F. STAUFFER, W. KINZELBACH

Swiss Federal Institute of Technology (ETH), Institute of Hydromechanics and Water Resources Management, ETH Hoenggerberg, CH-8093 Zürich, Switzerland

K. KOVAR

*National Institute of Public Health and the Environment (RIVM),
PO Box 1, NL-3720 BA Bilthoven, The Netherlands*

E. HOEHN

*Swiss Federal Institute for Environmental Science and Technology (EAWAG),
Department of Chemistry, CH-8600 Dübendorf, Switzerland*

Proceedings of the ModelCARE'99 conference held in Zürich, Switzerland, from 20 to 23 September 1999. This conference was jointly organized by the:

**Swiss Federal Institute of Technology (ETH), Zürich,
Switzerland**

**International Commission on Groundwater (ICGW), of the
International Association of Hydrological Sciences (IAHS)**

**Committee on Groundwater Hydraulics, of the
International Association of Hydraulic Engineering and
Research (IAHR)**

IAHS Publication no. 265
in the IAHS Series of Proceedings and Reports



Contents

Preface by *F. Stauffer, W. Kinzelbach, K. Kovar & E. Hoehn*

v

1 Modelling Concepts

Verification of a fracture network transport model including two-dimensional rock matrix diffusion *W. Barten, P. C. Robinson & B. Tirbonod*

3

Modelling of karst development considering conduit–matrix exchange flow
Sebastian Bauer, Rudolf Liedl & Martin Sauter

10

Characterization of gypsum aquifers using a coupled continuum–pipe flow model
Steffen Birk, Rudolf Liedl & Martin Sauter

16

Modelling of dual porosity media: comparison of different techniques and evaluation of the impact on plume transport simulations *S. Brouyère, A. Dassargues, R. Therrien & E. A. Sudicky*

22

Removing the boundaries to efficient groundwater contaminant transport modelling
Chris Kennedy, Hans Ericsson & Bill Lennox

28

Artificial neural networks: development and application in groundwater pollution remediation design *T. D. Krom & D. Rosbjerg*

34

Application of economic-risk analysis for design and optimization of the Kansas City Plant interceptor system *Alan D. Laase, James O. Rumbaugh III, Evan R. Anderman & Joseph L. Baker*

41

Validity and sensitivity analysis of a new comprehensive clogging model
A. Pérez-Paricio & J. Carrera

47

Development of a hydrogeological model for the Kiev conurbation
V. M. Shestopalov, Yu. F. Rudenko, A. S. Bohuslavsky, A. B. Markovska & N. B. Kastel'tseva

54

A method-of-characteristics concept for advective tracer transport in fracture networks *C. Thorenz, O. Kolditz & W. Zielke*

60

An integrated groundwater, pipe and open-channel flow model for simulation of aquifer-adit systems *Beiyang Zhang & David N. Lerner*

67

2 Stochastic Modelling

Tracer travel time analysis for inference of aquifer geostatistical parameters
Alberto Bellin & Yoram Rubin

77

Characterization of dispersion in an alluvial aquifer by tracing techniques and stochastic modelling *N. Courtois, O. Gerbaux-Francois, C. Grenier, P. Maugis, E. Mouche, C. de Fouquet, P. Goblet & E. Ledoux*

84

Solute transport in evolving scale formations: analysis of the concentration field
Aldo Fiori & Alberto Bellin

90

The use of well transport theory for identification of aquifer properties: 1. Radial divergent flow; 2. Recharging and pumping wells flow <i>G. Dagan & P. Indelman</i>	96
The reliability of a stochastic fracture generator <i>A. Hemminger, L. Neunhäuserer & R. Helmig</i>	104
Evaluation of the transition characteristics of macroscopic dispersion and estimation of the non-uniform hydrogeological structure <i>Kei Nakagawa & Kenji Jinno</i>	110
Permeability field estimation by conditional simulations of geophysical data <i>Luis Miguel Nunes & Luis Ribeiro</i>	117
Simultaneous estimation of transmissivity (or conductivity), storage coefficient (or porosity) and effective recharge, in a stochastic framework <i>M. M. Pacheco Figueiredo, L. Ribeiro & J. M. P. Ferreira Lemos</i>	124
Three-dimensional steady state flow to a well in a randomly heterogeneous aquifer <i>Monica Riva, Alberto Guadagnini, Shlomo P. Neuman & Daniel M. Tartakovsky</i>	131
On the concept of block effective macrodispersivity <i>Yoram Rubin</i>	137
Upscaling transmissivity under radially convergent flow <i>X. Sánchez-Vila, M. Bayer, J. Carrera & C. L. Axness</i>	141
An algorithm for the reconstruction and visualization of 3-D groundwater units <i>N. M. Sirakov, L. Ribeiro, P. Pina & F. H. Muge</i>	148

3 Parameter Estimation and Model Calibration

A hybrid Marquardt-Simulated Annealing method for solving the groundwater inverse problem <i>A. Alcolea, J. Carrera & A. Medina</i>	157
Calibration of the Oro Moraine multi-aquifer system: role of geology and objective function <i>Jos Beckers & Emil O. Frind</i>	164
Influence of pumping head data in the conditional estimation of a transmissivity field <i>C. Darcel, M. Donato, C. Grenier, P. Maugis & E. Mouche</i>	171
Calibration of a 3-D groundwater model of the post-Permian sedimentary cover at the Morsleben radioactive waste repository site <i>B. Ehrminger, M. Genter, W. Klemenz & J. Wollrath</i>	177
Calibration of 3-D transient groundwater flow models for fractured rock <i>J. J. Gómez-Hernández, H. J. W. M. Hendricks Franssen, A. Sahuquillo & J. E. Capilla</i>	185
Guidelines for model calibration and application to flow simulation in the Death Valley regional groundwater system <i>Mary C. Hill, Frank A. D'Agnese & Claudia C. Faunt</i>	195
A comparison of solute-transport solution techniques based on inverse modelling results <i>Steffen Mehl & Mary C. Hill</i>	205
A new look at traditional deterministic flow models and their calibration in the context of randomly heterogeneous media <i>Shlomo P. Neuman & Alberto Guadagnini</i>	213
Computational aspects of the coupled inversion of groundwater flow and mass transport <i>A. Sahuquillo, H. J. W. M. Hendricks Franssen, J. J. Gómez-Hernández & J. E. Capilla</i>	222

Determination of the hydraulic properties of a multilayered aquifer from pumping test data using genetic algorithms <i>Y. Takeshita, I. Kohno & K. Yasui</i>	229
Automatic model calibration using a universal approximator <i>Paul Torfs & George Bier</i>	236
Three-dimensional inverse modelling of pneumatic tests in unsaturated fractured rocks <i>Velimir V. Vesselinov, Shlomo P. Neuman & Walter A. Illman</i>	243
Calibration and sensitivity analysis of the 3-D Cape Cod tracer test <i>S. Wagner, F. Häfner, S. Boy & A. Behr</i>	250
The benefit of using data on canal seepage and tracer concentration in aquifer parameter estimation <i>E. Zechner, D. Genereux & J. Saiers</i>	256

4 Reliability of Model Prediction

Predictive modelling of flow in a two-dimensional intermediate-scale, heterogeneous porous media <i>Gilbert R. Barth, Mary C. Hill, Tissa H. Illangasekare & Harihar Rajaram</i>	265
Uncertainty analysis of groundwater heads around underground storage caverns due to the spatial variability of hydraulic conductivity <i>Il-Moon Chung, Woncheol Cho & Jun-Haeng Heo</i>	272
An optimal decision for contaminant plume capture design in a groundwater system under parameter and boundary uncertainty <i>Bernard B. Hsieh</i>	278
Computationally efficient methods for the quantification of uncertainties in groundwater modelling <i>Harald Kunstmann & Wolfgang Kinzelbach</i>	285
Uncertainty propagation using the point estimate method <i>S. Mishra</i>	292
Linking groundwater, contaminant transport, and water distribution models to determine the uncertainty of drinking water contaminant exposure <i>S. D. Normani, J. F. Sykes & W. C. Lennox</i>	297
Reliability-based evaluation of groundwater remediation strategies <i>H. W. Reeves, J. Lee, C. H. Dowding & A. J. Graettinger</i>	304
Stochastic well capture zones in fully, leaky, and randomly confined, heterogeneous aquifers <i>Matthijs van Leeuwen, Adrian P. Butler, Jacob A. Tompkins & Chris B. M. Te Stroet</i>	310
Contaminant transport modelling under random sources <i>P. Patrick Wang & Chunmiao Zheng</i>	317

5 Comprehensive Use of Field Information

Value of seismic data for the risk assessment of mass transport: a case study <i>J. E. Capilla, J. J. Gómez & A. Sahuquillo</i>	327
Modelling of radon-222 as a proxy for vapour phase transport in the unsaturated zone <i>D. A. Gibbons, R. Kalin & H. Johnston</i>	334

Methodology for the hydraulic characterization of a granitic block <i>L. Martinez-Landa, J. Carrera, J. Guimerà, E. Vazquez-Suñé, L. Vives, P. Meier & T. Fierz</i>	340
Modelling the tritium release from underground nuclear tests performed at Mururoa and Fangataufa: a conservative estimate based on uncertain data <i>W. Pfingsten & J. Hadermann</i>	346
Variational data assimilation of soil moisture and temperature from remote sensing observations <i>R. H. Reichle, D. McLaughlin & D. Entekhabi</i>	353
Conditional geostatistical modelling of an alluvial aquifer system characterized by poor-quality shallow groundwater <i>N. C. Ruud, T. Harter, G. S. Weissmann & G. E. Fogg</i>	360
Estimation of the sustainable yield of a borehole including boundary information, drawdown derivatives and uncertainty propagation <i>Gerrit van Tonder, Harald Kunstmann, Yongxin Xu & François Fourie</i>	367

6 Nonlinear and Coupled Flow and Transport Modelling

Density Flow Modelling

On modelling of density driven flow <i>P. Ackerer, A. Younes, S. E. Oswald & W. Kinzelbach</i>	377
A comparison of different model concepts for saltwater intrusion processes <i>R. Hinkelmann, H. Sheta, H. Class & R. Helmig</i>	385
Three-dimensional density-dependent calculation of matrix fracture flow <i>Christoph König & Carola Blömer</i>	392
A three-dimensional physical model for verification of variable-density flow codes <i>S. E. Oswald & W. Kinzelbach</i>	399
Conceptual and numerical modelling of density induced migration of radioactive contaminants at the Lake Karachai waste disposal site <i>V. G. Rumynin, V. A. Mironenko, L. N. Sindalovsky, A. V. Boronina, P. K. Konosavsky, C. Gallo & E. Leonardi</i>	405

Multiphase Modelling

Characterization of residual NAPL using partitioning tracers: temporal moment analysis <i>Sten Berglund, Daniel Torstensson & George Demmy</i>	412
Error propagation in the Newton-based solution control of unsaturated flow <i>Hans-Jörg G. Diersch & Pierre Perrochet</i>	418
Reliability of models for isothermal and non-isothermal multiphase processes in porous media <i>R. Helmig & H. Class</i>	425
Two-phase flow simulation of water-sealing of compressed air storage under cyclic pressure change in an unlined rock cavern <i>Takeshi Kawatani & Masahiko Saito</i>	432
The influence of interfacial tension reduction on organic liquid migration: numerical and experimental comparisons <i>Klaus M. Rathfelder, Linda M. Abriola, Michael A. Singletary & Kurt D. Pennell</i>	439

Multiphase modelling of gas storage in aquifer with automatic calibration and confidence limits <i>Dominique Thiéry & Karine Guedeney</i>	448
DNAPL spill and plume migration in a naturally heterogeneous aquifer analogue <i>Janet Whittaker, Georg Teutsch & Peter Grathwohl</i>	455
<i>Reactive Transport Modelling</i>	
Transfer of tracer data to mixing-controlled reactive transport <i>Olaf A. Cirpka</i>	461
Estimation of sequential degradation rates of perchloroethylene by “history matching” <i>R. A. A. Hetterschijt, C. B. M. te Stroet & T. N. P. Bosma</i>	468
Multicomponent solute transport model with cation exchange in a redox subsurface environment <i>Yoshinari Hiroshiro, Kenji Jinno, Shin-Ichiro Wada, Takushi Yokoyama & Motohiro Kubota</i>	474
Reactive transport modelling with simulator MODCALIF-CHEM: prediction of the environmental impact of lignite dump waters <i>Nils Hoth, Alexej Kornjaev & Frieder Häfner</i>	481
Assessing uncertainty in remediation by natural attenuation of a petroleum hydrocarbon contaminated site <i>Monica P. Suarez & Hanadi S. Rifai</i>	489
<i>In situ</i> measurements and numerical simulation of nitrate leaching from farm soil <i>N. Yamashita & S. Sugio</i>	495
<i>Coupled Surface Water and Groundwater Modelling</i>	
Coupling groundwater models to external simulation modules: strategies and application to surface waters <i>C. Kaiser, H.-J. G. Diersch, R. Gründler & V. Zlotnik</i>	502
Modelling groundwater recharge from intermittently flooded areas by calibration of time dependent leakage parameters <i>U. Mohrlok, E. Eberhardt & G. H. Jirka</i>	509
Application of a physically-based numerical model of surface and subsurface water flow and solute transport <i>J. E. VanderKwaak & E. A. Sudicky</i>	515